

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0351

Chair with four-leg steel frame, available in chromed, brushed or powdercoated version. Oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Upon request armrests are offered in the same finishes of the base.



Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Wood



- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units
- with link: with stacking pad, without tools up to 10 units
- with link: with stacking pad, with trolley up to 10 units

- with arms (BV version only): with stacking pad, without tools up to 5 units
- with arms (BV version only): with stacking pad, with trolley up to 5 units
- with arms (BV version only) with link: with stacking pad, without tools up to 5 units
- with arms (BV version only) with link: with stacking pad, with trolley up to 5 units

arper

info@arper.com

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Cushion Art. 0261



Stacking protection glide Art. 0286



Trolley Art. 0760



Set of glides Art. 2015



Movable link Art. 2073



Armrests BV



Armrests BV brushed stainless steel

arper

SHIPMENT DETAILS

Art.0351

- 1 pz = 2 - kg 7,38/ m³ 0,241
- 1 pz = 3 - kg 9,68/ m³ 0,269
- 4 pz = 2 - kg 25,9/ m³ 0,316
- 4 pz = 3 - kg 33,6/ m³ 0,352

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6.5
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 6.4
- TUV GS (EN16139)

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.0351

*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

FIRE RETARDANT TEST

Classe 1 Omologazione Italia Legno