

Catifa 46


Design by Lievore Altherr Molina, 2004

Art. 0378

Chair with chromed or powder-coated steel sled base and oak-effect reconstituted veneer shell available in three finishes (natural oak, bleached oak, wengé). Glides for wooden floors available upon request. Steel armrests are available upon request.




Dimensions *




* File CAD 2D - 3D available for download at www.arper.com

Frame Base



Shell

Wood



- with stacking pad, without tools up to 10 units
- with stacking pad, with trolley up to 10 units
- with arms: with stacking pad, without tools non stackable.
- with arms: with stacking pad, with trolley non stackable.
- with arms with link: with stacking pad, without tools non stackable.
- with arms with link: with stacking pad, with trolley non stackable.

arper

info@arper.com

www.arper.com

Catifa 46

Design by Lievore Altherr Molina, 2004

Accessories:



Link Art. 0258



Cushion Art. 0261



Stacking protection glide Art. 0286



Trolley Art. 0760



Armrests BV

SHIPMENT DETAILS

Art.0378

- 1 pz = 2 - kg 9,88/ m³ 0,243
- 1 pz = 3 - kg 12,18/ m³ 0,271
- 4 pz = 2 - kg 29,9/ m³ 0,316
- 4 pz = 3 - kg 37,6/ m³ 0,352

RESISTANCE TEST

- EN 1728:2012 - EN 16139:2013 6.15
- EN 1728:2012 - EN 16139:2013 6.17
- EN 1728:2012 - EN 16139:2013 6.24
- EN 1728:2012 - EN 16139:2013 4.1-4.2
- EN 1728:2012 - EN 12520:2015 5.4.2
- TUV GS (EN16139)
- EN 1728:2012 - EN 16139:2013 6.16
- EN 1728:2012 - EN 16139:2013 6.18
- EN 1728:2012 - EN 16139:2013 6.25
- EN 1728:2012 - EN 16139:2013 6.4
- EN 1728:2012 - EN 16139:2013 6.5

ENVIRONMENTAL CERTIFICATIONS



TECHNICAL SPECIFICATIONS

Art.0378

*Classe 1, 2, 11M: fire retardant version available with surcharge and eventual minimum batch

FIRE RETARDANT TEST

arper

www.arper.com

info@arper.com